



WATER COOLERS
& DISPENSER

EXPERIENCE WATER COMING TO LIFE
WITH SUPERIOR TECHNOLOGY

PRESENTING
WATER COOLER & DISPENSER RANGE



www.ushawatersolutions.com

<http://www.facebook.com/ushainternational>
<https://twitter.com/Ushalntl>

USHA care
1800-1033-111
Toll Free

ushawatersolutions.com



LEADING THE PATH TO YOUR COMFORT AND SAFETY WITH STYLE

A trusted household consumer durables brand dedicated to providing the best-in-class experience to its consumers far and wide, USHA's new range of Water coolers and dispensers is exclusively designed to suit your everyday water needs without compromising on your safety.

Choose from our new range of Water coolers and Dispensers, now touchless to provide the safety of use and contactless dispensing at all times. The advanced technology features like digital temperature control and programmed water dispensing functions deem our models perfect for your modern office spaces without compromising on performance and style.

USHA WATER COOLERS

POWERED TO PERFORM.
MADE TOUGH TO OUTPERFORM.

Usha's range of water coolers is designed to deliver like no other. While their efficient design and rugged body give them a long life, their low power consumption and faster cooling give you a best-in-class experience, every time.



OUR TECHNOLOGY



SENSOR BASED DISPENSING

Sensor based touchless technology for safety of use and contactless dispensing at all times.



CONDENSER COIL TECHNOLOGY

Usha water coolers come with anti-corrosive grooved copper tubing and aluminium blue fin technology that provide faster cooling, making it an energy efficient solution.



ECO-FRIENDLY REFRIGERANT

Environment friendly non-CFC R-134a refrigerant provides safety and better performance.



HFC FOAMING TECHNOLOGY

Climate-friendly HFC Puf technology that eliminates the traditional refrigeration system and ensures environment safety.

TOUCHLESS DISPENSING. DESIGNED FOR SAFETY. STYLED FOR COMPLIMENTS.

4080G VCM SENSOR

Designed to ensure safe and contactless dispensing all times, the new touchless VCM water cooler is environment friendly and consumes less power. Suited for a dash of colour to Brighten up your space, the model comes with bright design aesthetics, food-grade stainless steel tank and chrome-plated brass faucets to ensure safe drinking water and a longer product life.

Sensor based
contactless
dispensing

Premium floral
orchid design
aesthetics

Food grade
stainless steel
tank

Durable
chrome plated
brass faucets



Touchless dispensing



*Contactless dispensing only, the actual faucet design may differ.

POWER CONSUMPTION
450 W

REFRIGERANT
R-134a
(Non CFC) Refrigerant

POWER SUPPLY
Voltage : 230 V AC
Frequency : 50 Hz
1 Phase AC

RATE OF COOLING
40 L / h

STORAGE CAPACITY
80 L

NUMBER OF FAUCETS
2

TOUCHLESS

L

MEET THE MULTI-PERFORMER

MULTIFAU CET

A high-performance multi faucet water cooler with a longer life that comes with faucets on all three sides for rush-hour use, ensuring convenience and safe drinking water at all times.

Triple face design
with taps on
three sides for
convenience
during rush hours

**Faucets at
varied heights**
to cater to all
kinds of users,
including kids

Greater spacing
between the tap
and tray for
easy filling of
bottles up to
1 litre

**Anticorrosive
blue fin
condenser**
for power
efficient
cooling



*The picture is a two dimensional image of the product.

POWER CONSUMPTION

450 W

REFRIGERANT

R-134a
(Non CFC)

POWER SUPPLY

Voltage : 230 V AC
Frequency : 50 Hz
1 Phase AC

RATE OF COOLING

40 L / h

STORAGE CAPACITY

80 L

NUMBER OF FAUCETS

4

L

SAFETY WITH CONTACTLESS WATER DISPENSING

SENSOR TOUCHLESS

Designed for safe and contactless dispensing, this water cooler is ergonomically designed with a rugged stainless-steel body and anticorrosive blue fins for a longer product life.

Sensor-based
contactless
dispensing

Anticorrosive
blue fins on
condenser for
longer life

Stainless steel
body for longer
product life

Ergonomic
design

Lockable
top lid



Touchless dispensing

AVAILABLE SENSOR

TOUCH BASED OPTIONS

*SS 4080	SS 4080 VCM	*SS 4080	SS 4080 VCM	6080 B	6080 B
with Power Backup	with Power Backup	without Power Backup	without Power Backup	with Power Backup	without Power Backup



*Contactless dispensing only, the actual faucet design may differ.

POWER CONSUMPTION*

450 W & 775 W

REFRIGERANT

R-134a
(Non CFC)

POWER SUPPLY

Voltage : 230 V AC
Frequency : 50 Hz
1 Phase AC

RATE OF COOLING

40 L / h & 60 L / h

STORAGE CAPACITY

80 L

NUMBER OF FAUCETS

2

TOUCHLESS

L



*Also available in floral wine color

TOP IN PERFORMANCE AND LOOKS TOO

SS2020BG

Ergonomically designed for greater safety and more operational convenience through its hybrid design, this water cooler is also environment friendly and boasts a longer product life, ensuring that you always have pure drinking water.

Comes with a reliable reciprocating compressor for longer product life

High-quality stainless steel tank and components for safe water

Hybrid model with top mounting water bottle option for convenience

Specially designed float valves made of food-grade plastic

Adjustable pedestals made of highly non-corrosive and strong material



POWER CONSUMPTION

390 W

REFRIGERANT

R-134a
(Non CFC)

POWER SUPPLY

Voltage : 230 V AC
Frequency : 50 Hz
1 Phase AC

RATE OF COOLING

20 L / h

STORAGE CAPACITY

20 L

NUMBER OF FAUCETS

1

L

SP2040G

Enjoy the convenience of faster cooling with this water cooler. Equipped with superior grooved copper tubes, it comes with a high efficiency compressor that consumes less power while its steel body and condenser coil blue fin technology ensure a longer product life.



POWER CONSUMPTION

390 W

REFRIGERANT

R-134a
(Non CFC)

POWER SUPPLY

Voltage : 230 V AC
Frequency 50 Hz
1 Phase AC

RATE OF COOLING

20 L / h

STORAGE CAPACITY

40 L

NUMBER OF FAUCETS

1

L

Comes with a reliable reciprocating compressor for longer product life

High-quality stainless steel tank and components for safe water

Water inlet hosepipe and overflow pipes provided with the unit

Specially designed float valves made of food-grade plastic

Adjustable pedestals made of highly non-corrosive and strong material

SS2040G/NC

Ergonomically designed, this water cooler cools water faster while its superior grooved copper tubes and high-efficiency compressor consume less power. Its steel body and condenser coil blue fin technology ensure a longer product life.



POWER CONSUMPTION

390 W

REFRIGERANT

R-134a
(Non CFC)

POWER SUPPLY

Voltage : 230 V AC
Frequency 50 Hz
1 Phase AC

RATE OF COOLING

20 L / h

STORAGE CAPACITY

40 L

NUMBER OF FAUCETS

1

L

Comes with a reliable reciprocating compressor for longer product life

High-quality stainless steel tank and components for safe water

Water inlet hosepipe and overflow pipes provided with the unit

Specially designed float valves made of food-grade plastic

Adjustable pedestals made of highly non-corrosive and strong material

SP4080

Designed for faster cooling, this model has superior grooved copper tubes and a high-efficiency compressor consume less power consumption. The stainless steel body and blue fin condenser coil technology ensure a longer product life.



POWER CONSUMPTION

450 W

REFRIGERANT

R-134a
(Non CFC)

POWER SUPPLY

Voltage : 230 V AC
Frequency 50 Hz
1 Phase AC

RATE OF COOLING

40 L / h

STORAGE CAPACITY

80 L

NUMBER OF FAUCETS

2

L

Comes with a reliable reciprocating compressor for longer product life

High-quality stainless steel tank and components for safe water

Water inlet hosepipe and overflow pipes provided with the unit

Specially designed float valves made of food-grade plastic

Adjustable pedestals made of highly non-corrosive and strong material

SS4080

Ergonomically designed for greater safety and more operational convenience, this water cooler is also environment friendly and boasts a longer product life, ensuring that you always have pure drinking water.



POWER CONSUMPTION

450 W

REFRIGERANT

R-134a
(Non CFC)

POWER SUPPLY

Voltage : 230 V AC
Frequency 50 Hz
1 Phase AC

RATE OF COOLING

40 L / h

STORAGE CAPACITY

80 L

NUMBER OF FAUCETS

2

L

Comes with a reliable reciprocating compressor for longer product life

High-quality stainless steel tank and components for safe water

Water inlet hosepipe and overflow pipes provided with the unit

Specially designed float valves made of food-grade plastic

Adjustable pedestals made of highly non-corrosive and strong material

SP6080

Ergonomically designed, this water cooler cools water faster. Its superior grooved copper tubes and high-efficiency compressor consume less power while its steel body and blue fins on the condenser coil give it a longer life.



POWER CONSUMPTION

775 W

REFRIGERANT

R-134a
(Non CFC)

POWER SUPPLY

Voltage : 230 V AC
Frequency 50 Hz
1 Phase AC

RATE OF COOLING

60 L / h

STORAGE CAPACITY

80 L

NUMBER OF FAUCETS

2

XL

Comes with a reliable reciprocating compressor for longer product life

High-quality stainless steel tank and components for safe water

Water inlet hosepipe and overflow pipes provided with the unit

Specially designed float valves made of food-grade plastic

Adjustable pedestals made of highly non-corrosive and strong material

SS6080

Ergonomically designed for greater safety and more operational convenience, this water cooler is also environment friendly and boasts a longer product life, ensuring that you always have pure drinking water.



POWER CONSUMPTION

775 W

REFRIGERANT

R-134a
(Non CFC)

POWER SUPPLY

Voltage : 230 V AC
Frequency 50 Hz
1 Phase AC

RATE OF COOLING

60 L / h

STORAGE CAPACITY

80 L

NUMBER OF FAUCETS

2

XL

Comes with a reliable reciprocating compressor for longer product life

High-quality stainless steel tank and components for safe water

Water inlet hosepipe and overflow pipes provided with the unit

Specially designed float valves made of food-grade plastic

Adjustable pedestals made of highly non-corrosive and strong material

SP60120

Enjoy faster cooling, greater safety, and convenience with this ergonomically designed water cooler. Its superior grooved copper tubes and high-efficiency compressor consume less power while its steel body and condenser coil blue fin technology ensure a longer product life.



POWER CONSUMPTION

775 W

REFRIGERANT

R-134a
(Non CFC)

POWER SUPPLY

Voltage : 230 V AC
Frequency 50 Hz
1 Phase AC

RATE OF COOLING

60 L / h

STORAGE CAPACITY

120 L

NUMBER OF FAUCETS

2

XL

Comes with a reliable reciprocating compressor for longer product life

High-quality stainless steel tank and components for safe water

Water inlet hosepipe and overflow pipes provided with the unit

Specially designed float valves made of food-grade plastic

Adjustable pedestals made of highly non-corrosive and strong material

SS60120

Ergonomically designed for greater safety and operational convenience, this water cooler is environment friendly and boasts a longer product life to give you pure drinking water, always.



POWER CONSUMPTION

775 W

REFRIGERANT

R-134a
(Non CFC)

POWER SUPPLY

Voltage : 230 V AC
Frequency 50 Hz
1 Phase AC

RATE OF COOLING

60 L / h

STORAGE CAPACITY

120 L

NUMBER OF FAUCETS

2

XL

Comes with a reliable reciprocating compressor for longer product life

High-quality stainless steel tank and components for safe water

Water inlet hosepipe and overflow pipes provided with the unit

Specially designed float valves made of food-grade plastic

Adjustable pedestals made of highly non-corrosive and strong material

SP150150G

Enjoy faster cooling, greater safety and convenience with this ergonomically designed water cooler. Its superior grooved copper tubes and high-efficiency compressor consume less power while its steel body and condenser coil blue fin technology ensure a longer product life.



POWER CONSUMPTION

1 550 W

REFRIGERANT

R-134a
(Non CFC)

POWER SUPPLY

Voltage : 230 V AC
Frequency 50 Hz
1 Phase AC

RATE OF COOLING

150 L / h

STORAGE CAPACITY

150 L

NUMBER OF FAUCETS

2

XXL

Comes with a reliable reciprocating compressor for longer product life

High-quality stainless steel tank and components for safe water

Water inlet hosepipe and overflow pipes provided with the unit

Specially designed float valves made of food-grade plastic

Adjustable pedestals made of highly non-corrosive and strong material

SS150150G

Ergonomically designed for greater safety and operational convenience, this water cooler is environment friendly and boasts a longer product life so that you always have pure drinking water.



POWER CONSUMPTION

1 550 W

REFRIGERANT

R-134a
(Non CFC)

POWER SUPPLY

Voltage : 230 V AC
Frequency 50 Hz
1 Phase AC

RATE OF COOLING

150 L / h

STORAGE CAPACITY

150 L

NUMBER OF FAUCETS

2

XXL

Comes with a reliable reciprocating compressor for longer product life

High-quality stainless steel tank and components for safe water

Water inlet hosepipe and overflow pipes provided with the unit

Specially designed float valves made of food-grade plastic

Adjustable pedestals made of highly non-corrosive and strong material

SP170400NC

Enjoy the convenience of faster cooling with this ergonomically designed water cooler. Its superior grooved copper tubes and high efficiency compressor consume less power while its steel body and condenser coil blue fin technology ensure a longer product life.



POWER CONSUMPTION

1 550 W

REFRIGERANT

R 22/ R-134a
(Non CFC)

POWER SUPPLY

Voltage : 230 V AC
Frequency 50 Hz
1 Phase AC

RATE OF COOLING

170 L / h

STORAGE CAPACITY

400 L

NUMBER OF FAUCETS

4

XXL

Comes with a reliable reciprocating compressor for longer product life

High-quality stainless steel tank and components for safe water

Water inlet hosepipe and overflow pipes provided with the unit

Specially designed float valves made of food-grade plastic

Adjustable pedestals made of highly non-corrosive and strong material

SS170400NC

Ergonomically designed for greater safety and operational convenience, this water cooler is environment friendly and boasts a longer product life so that you have pure drinking water, always.



POWER CONSUMPTION

1 550 W

REFRIGERANT

R 22/ R-134a
(Non CFC)

POWER SUPPLY

Voltage : 230 V AC
Frequency 50 Hz
1 Phase AC

RATE OF COOLING

170 L / h

STORAGE CAPACITY

400 L

NUMBER OF FAUCETS

4

XXL

Comes with a reliable reciprocating compressor for longer product life

High-quality stainless steel tank and components for safe water

Water inlet hosepipe and overflow pipes provided with the unit

Specially designed float valves made of food-grade plastic

Adjustable pedestals made of highly non-corrosive and strong material

SRA400R

Enjoy faster cooling, greater safety and convenience with this ergonomically designed instant water cooler. Its superior grooved copper tubes and high efficiency compressor consume less power while its steel body and condenser coil blue fin technology ensures a longer product life.

Comes with a reliable reciprocating compressor for longer product life

High-quality stainless steel tank and components for safe drinking water

Instant Water cooling with water inlet hosepipe and overflow pipes provided with the unit

Specially designed float valves made of food-grade plastic

Adjustable pedestals made of highly non-corrosive and strong material



POWER CONSUMPTION

1 550 W

REFRIGERANT

R 22a/ R-134a
(Non CFC)

POWER SUPPLY

Voltage : 230 V AC
Frequency 50 Hz
1 Phase AC

RATE OF COOLING

150 L / h

XXL

USHA WATER DISPENSERS

TECHNOLOGY YOU CAN TRUST

Usha water dispensers are the perfect choice for your office space, promising best-in-class cooling while consuming less power.



POWERING YOUR WATER NEEDS WITH THE BEST TECH!



SENSOR BASED DISPENSING

Sensor based touchless technology for safety of use and contactless dispensing at all times.



WATER TEMPERATURE CONTROL

Manually adjust the temperature of hot and cold water in the water dispenser and choose the desired temperature setting in real time as required.



ECO-FRIENDLY REFRIGERANT

Environment friendly non-CFC R-134a refrigerant provides safety and better performance.



AUTOMATIC WATER DISPENSING IN DIFFERENT CAPACITY

Preset dispensing settings to manually choose the desired volume of water to dispense at any point in time as required.

A TALL STANDING WATER DISPENSER ERGONOMICALLY DESIGNED TO PUT LESS PRESSURE ON YOUR BACK

I SENSE

A performance-driven tall digital dispenser, I Sense comes with bottom loaded water compartment to avoid heavy lifting of water bottles.

The soft push buttons placed at a convenient height ensure maximum comfort of use, thereby preventing backache troubles.

1 . 3 m tall height
dispensing to
prevent backache
problems

Programmed
water dispensing
in 200 mL /
300 mL / 400 mL
/ 500 mL
capacity for
measuring
everyday glass of
health

Digital control
water dispensing
hot water :
up to 85°C,
cold water:
up to 15°C

Bottom loading
water bottle
compartment
to avoid heavy
weightlifting

CFC free
eco-friendly
r-134a
refrigerant



NUMBER OF FAUCETS

2

REFRIGERANT

CFC free eco-friendly
R 134a refrigerant

POWER SUPPLY

Voltage : 230 V AC
Frequency : 50 Hz
1 Phase AC

POWER CONSUMPTION

❄ 90 W 🔥 580 W

RATE OF COOLING/HEATING

❄ 2 . 5L/hr 🔥 4 L / h

STORAGE CAPACITY

❄ 3 L 🔥 1 L

STANDING TALL WITH FAST COOLING AND IN-BUILT POWER BACKUP.

SS 1515 FOUNTAIN

This premium water cooler model comes with a storage capacity of 15 L and a 30 minute power backup for continuous water supply, offering a best-in-class water cooling experience.

Cooling
and storage
capacity of 15 L

Swan neck
for comfortable
use

Inbuilt 30 mins
power backup
for continuous
water supply

Compact
design suitable
for modern
décor

POWER CONSUMPTION

300 W

REFRIGERANT

R-134a
(Non CFC) Refrigerant

POWER SUPPLY

Voltage : 230 V AC
Frequency : 50 Hz
1 Phase AC

RATE OF COOLING

15 L / h

STORAGE CAPACITY

15 L

NUMBER OF FAUCETS

1

L



CONTACTLESS AND FLAWLESS IN EVERY SENSE.

INSTAFRESH SENSOR

A sleek and compact water dispenser with sensor-based dispensing for safety, this model comes with anti-rust faucets and CFC free refrigerants to provide eco-friendly water solutions.

Sensor technology for contactless dispensing

Compact and sleek design suitable for office or household

Individual faucets for hot, normal and cold water for ease of operation

Anti-rust faucets

CFC free eco-friendly R 134a refrigerant



Touchless Dispensing

The distance between the hand and the sensor should be at least 2 inches for the sensor to work



NUMBER OF FAUCETS

3

REFRIGERANT

CFC free eco-friendly
R 134a refrigerant

POWER SUPPLY

Voltage : 230 V AC
Frequency : 50 Hz
1 Phase AC

POWER CONSUMPTION

❄ 90 W 🔥 500 W

RATE OF COOLING/HEATING

❄ 3 L/h 🔥 5 L/h

STORAGE CAPACITY

❄ 3 L 🔥 1 L

TOUCHLESS

INSTAFRESH

FLOOR STANDING

Designed for convenience and safety, the instafresh is an easy to use water dispenser that comes with individual faucets for hot, cold and normal water. Its CFC free eco-friendly refrigerant makes it an environment friendly product.



NUMBER OF FAUCETS

3

REFRIGERANT

CFC free eco-friendly
R 134a refrigerant

POWER SUPPLY

Voltage : 230 V AC
Frequency : 50 Hz
1 Phase AC

POWER CONSUMPTION

❄ 90 W 🔥 500 W

RATE OF COOLING/HEATING

❄ 2.5 L/h 🔥 5 L/h

STORAGE CAPACITY

❄ 3 L 🔥 1 L

INSTAFRESH

FLOOR STANDING WITH COOLING CABINET

Ideal for use in movie halls, cafeterias, colleges, pantries, and more, it is a compact and easy to operate water dispenser. Have pure drinking water always with its anti-rust dispensers and its efficient cooling, especially in hot Indian conditions.



NUMBER OF FAUCETS

3

REFRIGERANT

CFC free eco-friendly
R 134a refrigerant

POWER SUPPLY

Voltage : 230 V AC
Frequency : 50 Hz
1 Phase AC

POWER CONSUMPTION

❄ 100 W 🔥 500 W

RATE OF COOLING/HEATING

❄ 2.5 L/h 🔥 5 L/h

STORAGE CAPACITY

❄ 3 L 🔥 1 L

Compact and sleek design to fit into any setting

Individual faucets for hot, normal and cold water

Designed for efficient cooling even in hot indian conditions

Safety lock on hot water faucet

CFC free eco-friendly R134a refrigerant

18 L cooling cabinet with temperature $\leq 14^{\circ}\text{C}$ for storing beverages

Compact and sleek design to fit into any setting

Individual faucets for hot, normal and cold water

Safety lock on hot water faucet

CFC free eco-friendly R134a refrigerant

AQUAGENIE

FLOOR STANDING

Enjoy hot and cold water whenever you want with the Aquagenie+, a sleek and compact water dispenser that cares for your family's safety and health. The model comes with a child lock on hot water faucet to ensure the safety of use and the anti-rust faucets always provide safe drinking water.



NUMBER OF FAUCETS

3

REFRIGERANT

CFC free eco-friendly
R 134a refrigerant

POWER SUPPLY

Voltage : 230 V AC
Frequency : 50 Hz
1 Phase AC

POWER CONSUMPTION

❄ 100 W 🔥 500 W

RATE OF COOLING/HEATING

❄ 2.5 L/h 🔥 5 L/h

STORAGE CAPACITY

❄ 3 L 🔥 1 L

AQUAGENIE

FLOOR STANDING WITH COOLING CABINET

Enjoy safe drinking water with the Aquagenie+, a sleek and compact water dispenser with 18 L cooling cabinet for storing your cold beverages. This model comes with a safety lock on hot water faucet and always ensures safety and convenience.



NUMBER OF FAUCETS

3

REFRIGERANT

CFC free eco-friendly
R 134a refrigerant

POWER SUPPLY

Voltage : 230 V AC
Frequency : 50 Hz
1 Phase AC

POWER CONSUMPTION

❄ 100 W 🔥 500 W

RATE OF COOLING/HEATING

❄ 2.5 L/h 🔥 5 L/h

STORAGE CAPACITY

❄ 3 L 🔥 1 L

Compact and sleek design to fit into any setting

Individual faucets for hot, normal and cold water

Safety mesh for rodent control

Safety lock on hot water faucet

CFC free eco-friendly R134a refrigerant

18 L Cooling cabinet with temperature upto 14°C for storing beverages

Compact and sleek design to fit into any setting

Safety mesh for rodent control

Safety lock on hot water faucet

CFC free eco-friendly R134a refrigerant

LAGUNA

FLOOR STANDING

This sleek water dispenser is designed to fit into any setting, whether it be your office or household. Equipped with CFC free eco-friendly refrigerant, this model comes with child lock hot water faucets for extra safety and ensures you safe water with its anti-rust and anti-bacterial faucets.



NUMBER OF FAUCETS

3

REFRIGERANT

CFC free eco-friendly
R 134a refrigerant

POWER SUPPLY

Voltage : 230 V AC
Frequency : 50 Hz
1 Phase AC

POWER CONSUMPTION

❄ 100 W 🔥 500 W

RATE OF COOLING/HEATING

❄ 3 L/h 🔥 5 L/h

STORAGE CAPACITY

❄ 3.5 L/h 🔥 1 L

LAGUNA

FLOOR STANDING WITH COOLING CABINET

This water dispenser is sleek and compact, occupies less space, and is suitable for any place. Its high cooling capacity and cold water storage help with efficient cooling even in hot Indian conditions, ensuring cool, pure drinking water always.



NUMBER OF FAUCETS

3

REFRIGERANT

CFC free eco-friendly
R 134a refrigerant

POWER SUPPLY

Voltage : 230 V AC
Frequency : 50 Hz
1 Phase AC

POWER CONSUMPTION

❄ 120 W 🔥 500 W

RATE OF COOLING/HEATING

❄ 3 L/h 🔥 5L/hr

STORAGE CAPACITY

❄ 3.5 L/h 🔥 1 L

Single faucet
dispensing for
convenience

Hot water
temperature up
to 85°C suitable
for making tea
or coffee

Anti rodent
power cord

Safety lock on
hot water
faucet

CFC free
eco-friendly
R134a
refrigerant

18 L Cooling
cabinet with
temperature
upto 14°C for
storing
beverages

Single faucet
dispensing for
convenience

Hot water
temperature up
to 85°C suitable
for making tea
or coffee

Safety lock on
hot water
faucet

CFC free
eco-friendly
R134a
refrigerant

INSTAFRESH

TABLE TOP

Designed for greater convenience and safety, the Instafresh Table Top is an easy to use water dispenser that comes with individual faucets for Hot, Cold and Normal water. It is ideal for domestic use as well as public use such as in theatres, canteens, offices and more.



NUMBER OF FAUCETS

3

REFRIGERANT

CFC free eco-friendly
R 134a refrigerant

POWER SUPPLY

Voltage : 230 V AC
Frequency : 50 Hz
1 Phase AC

POWER CONSUMPTION

❄ 90 W 🔥 500 W

RATE OF COOLING/HEATING

❄ 3 L/h 🔥 5 L/h

STORAGE CAPACITY

❄ 3 L 🔥 1 L

AQUAGENIE

TABLE TOP

Ideal for use in colleges, movie halls, pantries, cafeterias and more, the Aquagenie+ is a sleek and compact water dispenser that cares for your safety and health. Its child lock hot water faucets and anti-rust dispenser along with its CFC free eco-friendly refrigerants make it a safe and environment friendly water solution.



NUMBER OF FAUCETS

3

REFRIGERANT

CFC free eco-friendly
R 134a refrigerant

POWER SUPPLY

Voltage : 230 V AC
Frequency : 50 Hz
1 Phase AC

POWER CONSUMPTION

❄ 100 W 🔥 500 W

RATE OF COOLING/HEATING

❄ 2.5 L/h 🔥 5 L/h

STORAGE CAPACITY

❄ 3 L 🔥 1 L

Compact and sleek design to fit into any setting

Designed for efficient cooling even in hot indian conditions

Safety mesh for rodent control

Child lock on hot water faucets

CFC free eco-friendly R134a refrigerant

Compact and sleek design to fit into any setting

Individual faucets for hot, normal and cold water

Individual faucets for hot, normal and cold water

Child lock on hot water faucets

CFC free eco-friendly R134a refrigerant

LAGUNA

TABLE TOP

This tabletop water dispenser is sleek and compact, occupying less space and is suitable for personal and professional use. It ensures efficient cooling so that you have cool, pure drinking water always, even in hot Indian conditions.



NUMBER OF FAUCETS

3

REFRIGERANT

CFC free eco-friendly
R 134a refrigerant

POWER SUPPLY

Voltage : 230 V AC
Frequency : 50 Hz
1 Phase AC

POWER CONSUMPTION

❄ 100 W 🔥 500 W

RATE OF COOLING/HEATING

❄ 3 L/h 🔥 5 L/h

STORAGE CAPACITY

❄ 3 L 🔥 1 L

USHA®

Hot water
temperature
up to 85°C
suitable for
making tea
or coffee

Designed for
efficient
cooling even
in hot Indian
conditions

Compact
and sleek
design with
single faucet
dispensing

Safety
lock on hot
water faucets

Anti rodent
power cord

CFC free
eco-friendly
R134a
refrigerant